

Trotec Laser GmbH 4600 Wels

Date printed 03.02.2017, Revision 07.06.2016 Version 01 Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

TroGlass Color Gloss, TroGlass Satins, TroGlass Duo, TroGlass Frosted, TroGlass LED, TroGlass Clear

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Laser engraved article Mechanic engraving

1.2.2 Uses advised against

None known.

.3 Details of the supplier of the safety data sheet

Company Trotec Laser GmbH

Linzer Str. 156 4600 Wels / AUSTRIA Phone +43 (0)72 42 239-7777 Fax +43 (0) 72 42 239-7380 Homepage www.troteclaser.com E-mail trotec@troteclaser.com

Address enquiries to

Technical information

trotec@troteclaser.com

Safety Data Sheet

1.4 Emergency telephone number

Company +43 (0)72 42 239-7777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

not determined

2.2 Label elements

This product is an article and therefore it does not require labelling according to EC directives

[REACH/CLP].

Hazard pictograms

2.3 Other hazards

Human health dangers For thermal decomposition to high temperature are formed toxic, irritating and inflammable

smoke.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
> 90	Polymethylmethacrylate
,	CAS: 9011-14-7. EINECS/ELINCS: 618-466-4

Comment on component parts No dangerous components.

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

Safety Data Sheet 1907/2006/EC - REACH (GB)

TroGlass Color Gloss, TroGlass Satins, TroGlass Duo, TroGlass Frosted, TroGlass LED, TroGlass Clear



Trotec Laser GmbH 4600 Wels

Date printed 03.02.2017, Revision 07.06.2016 Version 01 Page 2 / 8

SECTION 4: First aid measures

4.1 Description of first aid measures

General information In the event of symptoms seek medical treatment.

Inhalation After inhalation of vapous of product which can set be free by thermal processing:

Remove the victim into fresh air and keep him calm. In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

In case of burning: After contact with molten product cool quickly with cold water or sterile salt

solution and protect with gauze.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion not applicable

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide.

Dry powder. Water spray jet.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Carbon dioxide (CO2)

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Do not inhale explosion and/or combustion gases.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear suitable protective equipment. For personal protection see SECTION 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13



Trotec Laser GmbH 4600 Wels

Date printed 03.02.2017, Revision 07.06.2016 Version 01 Page 3 / 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

During mechanical processing vacuuming at processing machines is necessary.

During thermal processing vacuuming at processing machines is necessary.

The normal safety precautions for handling of molten, heated products must be observed.

Avoid contact with eyes and skin. Use personal protective equipment.

Dust can form an explosive mixture with air.

Take precautionary measures against static discharges.

Wash hands before breaks and after work.

Do not eat, drink, smoke or take drugs at work.

7.2 Conditions for safe storage, including any incompatibilities

Protect from heat/overheating and from sun. Keep in a cool place. Store in a dry place. Do not keep at temperatures above 40°C.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

8.2 Exposure controls

Additional advice on system design Use suitable discharges or exhaust ventilation if heat treatment is intended.

Protection adapted to the manipulation of the fused product (danger of burning).

Pay attention to dust limit value (ACGHI-2011: 10 mg/m³ particle inhalable; 3 mg/m³ particle

respirable).

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection In the case of thermal processing:

Tightly fitting goggles. (EN 166:2001) In the event of dust formation: Tightly fitting goggles. (EN 166:2001)

Hand protection Gloves (heat-resistant).

The details concerned are recommendations. Please contact the glove supplier for further

information.

Skin protection Protective clothing.

Other Avoid contact with eyes and skin.

Do not inhale dust.

Do not inhale smokes formed during heat treatment.

Respiratory protectionRespiratory protection in the case of thermal processing. Respiratory protection in the case of dust formation.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards yes

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.



Trotec Laser GmbH 4600 Wels

Form

Date printed 03.02.2017, Revision 07.06.2016 Version 01 Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Plastic plates

solid in different forms

Color various
Odor odourless

Odour threshold No information available.

pH-value not applicablepH-value [1%] not applicableBoiling point [°C] not applicable

Flash point [°C] > 250 (ASTM-D 1929-68)
Flammability (solid, gas) [°C] > 400 (ASTM-D 1929-68)
Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Bulk density [kg/m³]not applicableSolubility in waterinsolublePartition coefficient [n-octanol/water]not applicableViscositynot applicableRelative vapour density determinednot applicable

in air

Evaporation speed not applicable

Melting point [°C]No information available.Autoignition temperature [°C]No information available.

Decomposition temperature [°C] > 200

9.2 Other information

Erweichungspunkt: > 100 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Decomposes begins at > 200 °C.

10.5 Incompatible materials

No information available.



Trotec Laser GmbH 4600 Wels

Date printed 03.02.2017, Revision 07.06.2016 Version 01 Page 5 / 8

10.6 Hazardous decomposition products

For thermal decomposition to high temperature are formed toxic, irritating and inflammable smoke.

In the case of heating following (decomposition) products may occure:

Oxide of carbon (COx)

Methyl methacrylate

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

repeated exposure

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled. Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Respiratory or skin sensitisation

Specific target organ toxicity -Based on the available information, the classification criteria are not fulfilled. single exposure

Specific target organ toxicity — Based on the available information, the classification criteria are not fulfilled.

Mutagenicity Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Reproduction toxicity

Carcinogenicity Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Aspiration hazard

General remarks Risk of mechanical irritation.

May cause irritation of eye (vapours/fumes).

May cause respiratory tract irritation (vapours/fumes). Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Behaviour in environment No information available.

compartments

Behaviour in sewage plant

Can be separated out mechanically in purification plants.

Biological degradability

The product is not biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

The product is insoluble in water. Ecotoxicological data are not available.



Trotec Laser GmbH 4600 Wels

Date printed 03.02.2017, Revision 07.06.2016 Version 01 Page 6 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.

070213 Waste no. (recommended)

Contaminated packaging

Contaminated packing should be disposed of as product waste.

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150102

150101

SECTION 14: Transport information

14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable



Trotec Laser GmbH 4600 Wels

Date printed 03.02.2017, Revision 07.06.2016 Version 01 Page 7 / 8

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830

TRANSPORT-REGULATIONS DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2017).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

none

- Observe employment restrictions

for people

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

not applicable

trk00117 GB



Trotec Laser GmbH 4600 Wels

Date printed 03.02.2017, Revision 07.06.2016 Version 01 Page 8 / 8

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.2 Other information

Classification procedure

Modified position none