

Trotec Laser GmbH  
4600 Wels

Date printed 26.10.2018, Revision 31.07.2018

Version 01

Page 1 / 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Sperrholz**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Laser engraved article  
Mechanic engraving

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** Trotec Laser GmbH  
Linzer Str. 156  
4600 Wels / AUSTRIA  
Phone +43 (0)72 42 239-7777  
Fax +43 (0) 72 42 239-7380  
Homepage [www.troteclaser.com](http://www.troteclaser.com)  
E-mail [trotec@troteclaser.com](mailto:trotec@troteclaser.com)

#### Address enquiries to

**Technical information** [trotec@troteclaser.com](mailto:trotec@troteclaser.com)  
**Safety Data Sheet** [sdb@chemiebuero.de](mailto:sdb@chemiebuero.de)

### 1.4 Emergency telephone number

**Company** +43 (0)72 42 239-7777

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

not determined

### 2.2 Label elements

This product is an article and therefore it does not require labelling according to EC directives [REACH/CLP].

### 2.3 Other hazards

**Human health dangers** For thermal decomposition to high temperature are formed toxic, irritating and inflammable smoke.  
Risk of mechanical irritation.

## SECTION 3: Composition / Information on ingredients

#### Product-type:

The product is an article.

#### Comment on component parts

Plywood poplar, glue.  
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

Trotec Laser GmbH  
4600 Wels

Date printed 26.10.2018, Revision 31.07.2018

Version 01

Page 2 / 8

#### SECTION 4: First aid measures

##### 4.1 Description of first aid measures

General information	In the event of symptoms seek medical treatment.
Inhalation	After inhalation of vapours of product which can set free by thermal processing: Remove the victim into fresh air and keep him calm. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	not applicable

##### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

##### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Fire-fighting measures

##### 5.1 Extinguishing media

Suitable extinguishing media	foam, dry powder, water spray jet, carbon dioxide
Extinguishing media that must not be used	Full water jet.

##### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

##### 5.3 Advice for firefighters

Use self-contained breathing apparatus.  
Do not inhale explosion and/or combustion gases.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### SECTION 6: Accidental release measures

##### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.  
Wear suitable protective equipment. For personal protection see SECTION 8.

##### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

##### 6.3 Methods and material for containment and cleaning up

Take up mechanically.  
Dispose of absorbed material in accordance with the regulations.

##### 6.4 Reference to other sections

See SECTION 8+13

Trotec Laser GmbH  
4600 Wels

Date printed 26.10.2018, Revision 31.07.2018

Version 01

Page 3 / 8

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

During mechanical processing vacuuming at processing machines is necessary.  
During thermal processing vacuuming at processing machines is necessary.  
Avoid contact with eyes and skin. Use personal protective equipment.  
Dust can form an explosive mixture with air.  
Wash hands before breaks and after work.  
Do not eat, drink, smoke or take drugs at work.

### 7.2 Conditions for safe storage, including any incompatibilities

Protect from heat/overheating and from sun.  
Keep in a cool place. Store in a dry place.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

Ingredients with occupational  
exposure limits to be monitored (GB)

not applicable

### 8.2 Exposure controls

Additional advice on system design

Use suitable discharges or exhaust ventilation if heat treatment is intended.  
Pay attention to dust limit value (ACGHI-2011: 10 mg/m<sup>3</sup> particle inhalable; 3 mg/m<sup>3</sup> particle respirable).  
Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.

Eye protection

In the case of thermal processing:  
Tightly fitting goggles. (EN 166:2001)  
In the event of dust formation:  
Tightly fitting goggles. (EN 166:2001)

Hand protection

Gloves (EN 388), category II.  
Gloves (heat-resistant).  
The details concerned are recommendations. Please contact the glove supplier for further information.

Skin protection

Protective clothing.

Other

Avoid contact with eyes and skin.  
Do not inhale dust.  
Do not inhale smokes formed during heat treatment.

Respiratory protection

Respiratory protection in the case of thermal processing.  
Respiratory protection in the case of dust formation.  
Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards

yes

Delimitation and monitoring of the  
environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

Trotec Laser GmbH  
4600 Wels

Date printed 26.10.2018, Revision 31.07.2018

Version 01

Page 4 / 8

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form	Plywood panels solid in different forms
Color	various
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	hardly inflammable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not applicable
Density [g/ml]	No information available.
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	not applicable
Viscosity	not applicable
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	not applicable
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

For thermal decomposition to high temperature are formed toxic, irritating and inflammable smoke.

Trotec Laser GmbH  
4600 Wels

Date printed 26.10.2018, Revision 31.07.2018

Version 01

Page 5 / 8

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

<b>Serious eye damage/irritation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Skin corrosion/irritation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Respiratory or skin sensitisation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — single exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — repeated exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Mutagenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Reproduction toxicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Carcinogenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Aspiration hazard</b>	Based on the available information, the classification criteria are not fulfilled.
<b>General remarks</b>	Risk of mechanical irritation. Toxicological data of complete product are not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	No information available.
<b>Behaviour in sewage plant</b>	Can be separated out mechanically in purification plants.
<b>Biological degradability</b>	No information available.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

not applicable

### 12.6 Other adverse effects

The product is insoluble in water.  
Ecotoxicological data are not available.

Trotec Laser GmbH  
4600 Wels

Date printed 26.10.2018, Revision 31.07.2018

Version 01

Page 6 / 8

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 030105

#### Contaminated packaging

Contaminated packing should be disposed of as product waste.  
Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150102  
150101

## SECTION 14: Transport information

### 14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Trotec Laser GmbH  
4600 Wels

Date printed 26.10.2018, Revision 31.07.2018

Version 01

Page 7 / 8

#### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2018).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions for people none

- VOC (2010/75/CE) 0 %

#### 15.2 Chemical safety assessment

not applicable

Trotec Laser GmbH  
4600 Wels

Date printed 26.10.2018, Revision 31.07.2018

Version 01

Page 8 / 8

## SECTION 16: Other information

### 16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
ELINCS = European List of Notified Chemical Substances  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV®/TWA = Threshold limit value – time-weighted average  
TLV®/STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

### 16.2 Other information

Classification procedure

Modified position

none



Copyright: Chemiebüro®

